



www.dragonmarble.com



G R A N D



320X160CM
LARGE FORMAT
PORCELAIN SLABS



“

INSPIRATION COMES IN MANY FORMS,
HERE YOU'LL FIND THE GRAND ONES!



DragonPLUS is a large-format porcelain slab category by Dragon Surfaces. Inspired by nature, our product range is indistinguishable from elegant stones, delivering the same refined aesthetics and luxurious feel—without maintenance concerns or usage limitations.


Our slabs are easy to fabricate and process, allowing greater creative freedom for fully customized spaces. Whether you are building or remodeling, seeking a perfectly seamless finish, or exploring innovative design solutions, DragonPLUS is designed to meet all your architectural and interior design needs.




TIMELESS
DESIGNS

DRAGON
PLUS
SLABS DE GRANDE

Available in **3200 × 1600 mm** dimensions and **6 mm & 12 mm** thicknesses, **DragonPLUS** slabs are highly versatile and suitable for all surface uses in both residential and commercial applications.





CRYSTAL WHITE

320x160cm (3200x1600mm / 63x126inch)

Finish:
Matt\Polished



DRAGON
PLUS


03-04



BookMatch
series

BIANCO AURA
320x160cm (3200x1600mm / 63x126inch)

Finish:
Matt/Polished



DRAGON
PLUS

BookMatch
series


BIANCO ROMA

320x160cm (3200x1600mm / 63x126inch)

Finish:
Matt/Polished



DRAGON
PLUS



BookMatch
series

CALACUTTA LIGHT
320x160cm (3200x1600mm / 63x126inch)

Finish:
Matt/Polished



DRAGON
PLUS

BookMatch
series

CALACUTTA MIRROR
320x160cm (3200x1600mm / 63x126inch)

Finish:
Matt/Polished



DRAGON
PLUS

BookMatch
series

CALACUTTA ROYALE
320x160cm (3200x1600mm / 63x126inch)

Finish:
Polished




DRAGON
PLUS

BookMatch
series

CALACUTTA VAGLI
320x160cm (3200x1600mm / 63x126inch)

Finish:
Polished




DRAGON
PLUS

BookMatch
series

LINCOLN ORO

320x160cm (3200x1600mm / 63x126inch)

Finish:
Matt/Polished





PIAGET WHITE

320x160cm (3200x1600mm / 63x126inch)

Finish:
Polished



DRAGON
PLUS

BookMatch
series

ARABESCATO ROYAL
320x160cm (3200x1600mm / 63x126inch)

Finish:
Matt/Polished



19-20





CORCHIA GOLD

320x160cm (3200x1600mm / 63x126inch)

Finish:
Polished



DRAGON
PLUS

BookMatch
series


STATUARIO GOLD GRANDE
320x160cm (3200x1600mm / 63x126inch)

Finish:
Matt/Polished



DRAGON
PLUS

25-26



BookMatch
series

STATUARIO MAGIA
320x160cm (3200x1600mm / 63x126inch)

Finish:
Matt\Polished



DRAGON
PLUS

BookMatch
series

STATUARIO GRANDE
320x160cm (3200x1600mm / 63x126inch)

Finish:
Matt\Polished




VOLAKAS GRANDE
320x160cm (3200x1600mm / 63x126inch)

Finish:
Polished



VALENCIA GOLD
320x160cm (3200x1600mm / 63x126inch)

Finish:
Polished




DRAGON
PLUS

BookMatch
series

VENETINO ROYAL
320x160cm (3200x1600mm / 63x126inch)

Finish:
Matt\Polished





OYSTER BAY

320x160cm (3200x1600mm / 63x126inch)

Finish:
Polished





DRAGON
PLUS

BookMatch
series

BIANCO PANDA
320x160cm (3200x1600mm / 63x126inch)

Finish:
Polished






VICTORIA GREY

320x160cm (3200x1600mm / 63x126inch)

Finish:
Matt\Polished







PLUTO GRIS

320x160cm (3200x1600mm / 63x126inch)

Finish:
Matt\Polished





AMAZZONITE

320x160cm (3200x1600mm / 63x126inch)

Finish:
Polished



DRAGON
PLUS

BookMatch
series

BAOBOB FURRY
320x160cm (3200x1600mm / 63x126inch)

Finish:
Matt\Polished



CEPPO
320x160cm (3200x1600mm / 63x126inch)

Finish:
Matt\Polished





OROBICO

320x160cm (3200x1600mm / 63x126inch)

Finish:
Matt\Polished




DRAGON
PLUS

BookMatch
series

FOREST BROWN

320x160cm (3200x1600mm / 63x126inch)

Finish:
Matt\Polished




DRAGON
PLUS

BookMatch
series

ARMANI GREY GRANDE
320x160cm (3200x1600mm / 63x126inch)

Finish:
Polished





PATAGONIA

320x160cm (3200x1600mm / 63x126inch)

Finish:
Matt\Polished



PATAGONIA CRYSTAL
320x160cm (3200x1600mm / 63x126inch)

Finish:
Matt\Polished





DRAGON
PLUS

BookMatch
series

PATAGONIA STONE
320x160cm (3200x1600mm / 63x126inch)

Finish:
Matt\Polished





SUNSTONE BEIGE

320x160cm (3200x1600mm / 63x126inch)

Finish:
Matt\Polished





HONEY ONYX

320x160cm (3200x1600mm / 63x126inch)

Finish:
Matt\Polished



DRAGON
PLUS

BookMatch
series

BRECCIA BRONZE
320x160cm (3200x1600mm / 63x126inch)

Finish:
Polished



DRAGON
PLUS

BookMatch
series

PIETRA NERO

320x160cm (3200x1600mm / 63x126inch)

Finish:
Matt\Polished



DRAGON
PLUS

BookMatch
series

AGATE CHARCOAL
320x160cm (3200x1600mm / 63x126inch)

Finish:
Matt\Polished





DRAGON
PLUS

BookMatch
series

WILLIAM NERO
320x160cm (3200x1600mm / 63x126inch)

Finish:
Matt\Polished





LABRADORITE

320x160cm (3200x1600mm / 63x126inch)

Finish:
Polished




DRAGON
PLUS

BookMatch
series

NAPOLEAN GRANDE
320x160cm (3200x1600mm / 63x126inch)

Finish:
Polished




DRAGON
PLUS

BookMatch
series

SAHARA NOIR

320x160cm (3200x1600mm / 63x126inch)

Finish:
Matt\Polished



CRYSTAL BLACK



320x160cm (3200x1600mm / 63x126inch)

Finish:
Matt\Polished






We use **high-grade clay** with the best binding agents to achieve superior strength & low porosity levels!



Best ink & glaze quality to ensure that we capture the subtlest details of timeless marble patterns.



Ultra-modern automated machinery that maintains design consistency & churns out large product volumes!




Curated By Experts
Each look & design is curated by our expert in-house team with decades of experience in natural stones!



Packaging and shipping

The cargo transport unit of AVANTE PLUS SLAB

The sketches provide essential details for managing and transporting A-frames that support the slabs, which should only be moved one at a time. Recommendations, descriptions, measurements, and weights will guide the initial steps based on the type of transport vehicle and the quantity of material it carries during each trip.



The A-frames should always be handled carefully, one at a time, to avoid instability or collapse. When moving the pallet, it must be secured with at least one vertical sling. Protective cardboard should be positioned at the height of the ratchet to prevent it from impacting or scratching the slab. When at rest, and if the goods are not strapped or secured with slings, vertical poles must be placed to stabilize the load in case of tipping.

A Frame Weight : 118kg

Size	Thickness	Weight / Slab	No. of A-Frame	Slabs per a frame (10 each side)	Size of Container	Slabs / Container	Sq mtr / Container	Weight / Container
3200x1600mm	12mm	147.0 kg	03	20 slabs	20 ft	60	307.20	09.8 t
3200x1600mm	12mm	147.0 kg	07	20 slabs	40 ft	140	716.80	21.5 t
3200x1600mm	12mm	147.0 kg	09	20 slabs	40 ft	180	921.60	27.4 t

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.Bla	STANDARD AS PER IS 15622:2017 Gr.Bla	MEAN VALUE OF DRAGON PLUS	METHOD OF TESTING
Regulatory Properties				
Deviation in Length and Width	± 0.30 % (1.00 mm)	±0.10 %	±0.10 %	ISO 10545-2/IS 13630-1
Deviation in Thickness	± 5.0 % (0.50 mm)	±5.0 %	±5.0 %	ISO 10545-2/IS 13630-1
Straightness in Side	± 0.30 % (0.80 mm)	±0.10 %	±0.10 %	ISO 10545-2/IS 13630-1
Rectangularity	± 0.30 % (1.50 mm)	±0.10%	±0.10 %	ISO 10545-2/IS 13630-1
Surface Flatness Central Curvature	± 0.40 % (1.80 mm)	±0.50 %	±0.20 %	ISO 10545-2/IS 13630-1
Surface Flatness Edge Curvature	± 0.40 % (1.80 mm)	±0.50 %	±0.20 %	ISO 10545-2/IS 13630-1
Surface Flatness Warpage	± 0.40 % (1.80 mm)	±0.50 %	±0.10 %	ISO 10545-2/IS 13630-1
Surface Quality	>95% defects free	>95% defects free	>95% defects free	ISO 10545-2/IS 13630-1
Small Color Difference (For Plain Colour)	Δ E <1.00	N.A.	Δ E <0.80	ISO 10545-16
Glossiness (Polished)	As per Manufacturer	As per Manufacturer	= 90	Gloss Meter 60
Glossiness (Satin/Posh)	As per Manufacturer	As per Manufacturer	7 = Gloss Value = 25	Gloss Meter 60
Structural Properties				
Water Absorption	≤0.50 %	≤0.080 %	≤0.080 %	ISO 10545-3/IS 13630-2
Bulk Density	As per Manufacturer	Min 2.20 g/cc	> 2.28 gm/cc	ISO 10545-3/IS 13630-2
Massive Mechanical Properties				
Modulus of Rupture	Min. 35.0 N/mm	Min. 35.0 N/mm	Min. 40.0 N/mm	SO 10545-4/IS 13630-6
Breaking Strength Thickness =7.5 mm	Min 1300.0 N	Min 1300.0 N	Min 6000.0 N	ISO 10545-4/IS 13630-6
Surface Mechanical Properties				
MOH S Hardness #	As per Manufacturer	Min. 5	Polished Min 4**/ Satin & Posh Min 6	BS EN 15771/IS 13630-13
Surface Abrasion Resistance #	As per Manufacturer	Min. Class II	Polished Min II**/ Satin & Posh Min III	ISO 10545-7/IS 13630-11
Thermal Hygrometric Properties				
Moisture Expansion	Max 0.06% (0.6 mm/m)	Max 0.02 mm/m	Max 0.02 mm/m	ISO 10545-10/IS 13630-3
Thermal Expansion(COE) at 100 C	As per Manufacturer	Max. 6.0 x 10-6	Max. 6.0 x 10-6	ISO 10545-8/IS 13630-4
Thermal Shock Resistance	Min 10 Cycle	Min 10 Cycle	Min 10 Cycle	ISO 10545-9/IS 13630-5
Impact Resistance(COR) #	Min. 0.55	Min 0.55	Min 0.55	ISO 10545-5/IS 13630-14
Frost Resistance	As per Manufacturer	As per Manufacturer	Frost Proof	ISO 10545-12/IS 13630-10
Crazing Resistance at 7.5 bar	4 Cycle	4 Cycle	4 Cycle	ISO 10545-11/IS 13630-9
Chemical Properties				
Resistance to Staining Glazed	Min. Class 3	Min Class 1	Min. Class 3/Min. Class 1	ISO 10545-14/IS 13630-8
Resistance to Household Chemicals & Swimming Pool Salts Glazed	Min Class GB	Min Class AA	Min Class GB/Min Class AA	ISO 10545-13/IS 13630-8
Resistance to Low Concentrate Acid and Alkalies Glazed	As per Manufacturer	As per Manufacturer	Min Class GLB**/ Min Class A***	ISO-10545-13/IS 13630-8
Resistance to High Concentrate Acid and Alkalies Glazed	As per Manufacturer	As per Manufacturer	Min Class GHG**/ Min Class A***	ISO-10545-13/IS 13630-8
Safety Properties				
Skid Resistance - (DCOF-VET PENDULUM)##	As per Manufacturer	As per Manufacturer	Glossy:P0,Satin,Posh:P1	BS 7976-2
Slip Resistance -Satin/Posh (DCOF- R Value)##	As per Manufacturer	As per Manufacturer	R9 to R10	DIN 51130
Lead and Cadmium release	As per Manufacturer	N.A.	Does not yield Pb & Cd	ISO-10545-15

* Whichever is Lower

** With nano technology (Polished Vitrified tiles) Depending on Application area (low or high intensity of traffic)

*** Except Hydrofluoric Acid & its compound

Tiles Intended for use on floor | ## For Floor tiles,as per customer requirement

